

DS-W33



Specification



□□ □□ □□

|           |  |       |   |      |      |
|-----------|--|-------|---|------|------|
| □□        |  | □□□□  |   |      |      |
| □□ □□     | As □□  | □□□□  | 20GP  | 40GP | 40HQ |
| □□ □□     | □□:1760 □ * 800 * 1410mm<br>□□□:1320 * 580 * 400mm |       |   |      |      |
| □□        | 365 □□□  | □□ □□ | 30 □  | 35 □ | 40 □ |
| □□        | □□ □□  | □□    | EXW   |      |      |
| □□        | PVC, □ □□□, □, □□□□                                | □□ □□ | □□ □ 50 % □□□, 50 % □□ □□                       |      |      |
| □□□□ □ □□ | □□, □□□, □□□□, □□, □□                              | □□    | 1. □□□□ □□<br>2. PVC<br>3.CE, ROHS, FCC, SGS □□ |      |      |

- ◆ □□□□ □□□ □□ □□□□ PU □□, □□□□ □□, □ □□ □ □□□ □□□□□. □□ □□□ □□ □□□.
- ◆ □□□□ □□ □□□□□□□□ □□ □□ □□□ □□□□. [□□□□□□□□](#) □□□□ □ □□ □□□□ □□ □ □□□□□.
- ◆ □□□□ □□□ □□□□□□□ (2 □).
- ◆ □□□□□□ □□ □□□□ □□□□ □□□□. [alon spa □□□□□□](#) □□□□□□ □□ □□□□ □□ □□□ □□□ □□ □ □□□□□.
- ◆ □ □□ □□□□ □□ □□□ □□ □□ □ □□□ □□□□ □□ □□□ □□□□ □□□□ □□□□□□.
- ◆ [□□□□□□□□](#) □□□□ PU footrest. □ □□□ □ □□□□□□□□□□.

NEW □□□□

□□□□□□



□□□□□□



□□□□ & □□ □□□





# PROFESSIONAL PACKAGING

STRONG PACKING, FAST TRANSPORTION




|| □ □ □ □

□.□ □□□ QC□ □□ □□□□ □□□□ □□ □ □ □□ □□□□.

□.□ □□□ □ □□□□□□□ □□□□ □□□□ □□ □□□□ □□□□.



**OUR PRODUCTS ARE ALL OVER THE WORLD**



□□□□



▮ 0000 0000

00 0000 :

0000 0000 00000. 00000-00-00-0000000 000 000 0 000 000 00 0000 00 0000. 00-00000-00-00-00 0000 0000, 00 0 00  
00000 0000 0000 0000 0000.

0000 0000 :

1. 24 00 0000 : 0000 5 0 00 00 00 0000 000 0 000000. 00-00-00-00-000000.
2. OEM 00 : 00 00000 00 0000 0000 00.
3. 00 00 : 00 0000 15-20 00000.

▮ 0 0000 00 00?

1. 00 00

